MASSACHUSETTS RESIDENTS

◆ There were 2,726 injury fatalities among Massachusetts residents in 2003, a rate of 42.4 fatalities per 100,000 residents.

INJURY CAUSE	INJURY INTENT					Tatal	Donosii	Crude
	Uninten-	Intentional		Undeter-	Other &	Total Number		Rate per
	tional	Suicide	Homicide	mined	Legal ¹	Hullinet	OI TOLAI	100,000 ²
Cut/pierce	1	13	35	1	0	50	1.8	0.8
Drowning/submersion	45	5	0	17		67	2.5	1.0
Fall	248	20	0	4		272	10.0	4.2
Fire/burn	79	5	0	7		91	3.3	1.4
Firearms	1	121	77	2	1	202	7.4	3.1
Machinery	8					8	0.3	0.1
Natural/environmental	20					20	0.7	0.3
Overexertion	0					0	0.0	0.0
Poisoning	75	87	0	674	0	836	30.7	13.0
Struck by, against	7	0	9	0	0	16	0.6	0.2
Suffocation/hanging	137	160	7	1		305	11.2	4.7
Transport Injuries:	542	2	0	0	0	544	20.0	8.5
Motor vehicle traffic-related	506					506	18.6	7.9
Occupant	94					94	3.4	1.5
Motorcyclist	40					40	1.5	0.6
Pedal cyclist	7					7	0.3	0.1
Pedestrian	78					78	2.9	1.2
Other person	0					0	0.0	0.0
Unspecified person	287					287	10.5	4.5
Pedal cyclist, other	2					2	0.1	
Pedestrian, other	9					9	0.3	0.1
Other land transport	14					14	0.5	0.2
Other transport	11					11	0.4	0.2
Other specified & classifiable	5	6	5	3	0	19	0.7	0.3
Other specified, not classifiable	14	2	0	3	0	19	0.7	0.3
Unspecified	215	2	6	11	0	234	8.6	3.6
Adverse Effects ³						43	1.6	0.7
TOTAL DEATHS	1,397	423	139	723	1	2,726	100%	42.4
Injury Death Rate by Intent	21.7	6.6	2.2	11.2		n/a	n/a	n/a

Source: Registry of Vital Records and Statistics, Massachusetts Department of Public Health.

¹Legal Intervention includes fatalities resulting from police actions and operations of war.

² Rates are per 100,000 residents. Rates provided here are not age-adjusted and may differ slightly from other department publications. Rates are not calculated on counts of less than five. Rates that are based on counts less than twenty may be unstable.

³ Adverse Effects can be related to medical and surgical care procedures, or to the use of therapeutic substances (including allergic reactions).

[—]An injury-related fatality is defined as any death with an ICD-10 code of U01-U03 or V01-Y89 in the underlying cause field.

[—]Categories and groupings are based on a modified version of the CDC's "Recommended framework of E-code groupings for presenting injury mortality and morbidity data." This framework does not provide for intentionality for certain cause categories as indicated by gray shading.

[—]Injury subcategories are italicized.

[—]Analysis is based on a calendar year (Jan 1 - Dec 31, 2003).

⁻Massachusetts residents who died in or out-of-state are included in this analysis: non-Massachusetts residents are excluded from the analysis.

[—]Population data used to calculate rates are based on US Census Bureau estimates (www.census.gov/popest/states/asrh/files/SC-EST2003-race6-AL_MO.csv)

[—]Beginning in 1999 a new revision of the International Classification of Disease system (ICD-10) was used to code for cause of death. Please note that years prior to 1999 may not be comparable.

[—]Data were extracted and compiled by the Injury Surveillance Program, MDPH, June 2005.

ent of Public Health.

r slightly from other department publications. Rates are not calculated on counts of less

herapeutic substances (including allergic reactions).

Y89 in the underlying cause field.

framework of E-code groupings for presenting injury mortality and morbidity data." This ay shading.

ssachusetts residents are excluded from the analysis.
v.census.gov/popest/states/asrh/files/SC-EST2003-race6-AL_MO.csv)
D-10) was used to code for cause of death. Please note that years prior to 1999 may not